



# DESIGNER'S SINK SERIES






### Deluxe Knee Activated Faucet Hand Sink (Model DS-1068/KA)

**Overall Dimensions**  
371mmW x 460mmL x 520mmH

**Depth of Bowl**  
150mm

**Net Weight**  
7.95kg




### Deluxe Electronic Controlled Faucet Hand Sink (Model DS-1068/EC)

**Overall Dimensions**  
371mmW x 460mmL x 520mmH

**Depth of Bowl**  
150mm

**Net Weight**  
7.95kg



## DELUXE HAND SINKS

### UNIQUE FEATURES & COMPETITIVE STRENGTHS OF DSS HAND SINK SERIES

- The hand sink bowl is made by Deep Drawing Technology and **the entire hand sink unit is made of 1.2mm thick #304 stainless steel**, satin finishing while most competitors use only 0.8mm thick stainless steel.
- The entire hand sink body and the back panel are all welded artistically, smoothly and seamlessly into one complete hand sink unit for a much stronger and robust body while most competitors simply assemble the hand sink unit and the body together with screws which makes the hand sink unit/body fragile and cannot sustain the impact from any unforeseeable and unavoidable pounding or punching during transportation, leading to a bend and/or damage to the hand sink body.
- Water temperature (hot & cold) can be adjusted.
- All accessories for water connection are included.
- Depth of hand sink bowl is 150mm to prevent water from easily splashing out while most competitors' is only 130mm maximum.
- Stylish design makes the DSS series of hand sinks much more appealing and elegant.
- Deluxe models are artistically designed and engineered to have a much more eye-catching appealing effect.
- For all Electronic Controlled Faucet Hand Sinks, an All-in-One integrative brass tap is provided with a built-in infra-red activated control device for easy installation and operations.
- DSS hand sink unit can be easily and effortlessly mounted on wall with 4 prefixed wall-mounting holes in the back panel of the hand sink unit.




### Deluxe Knee Activated Faucet Hand Sink with Soap Dispenser (Model DS-1068/KA/SD)

**Overall Dimensions**  
383mmW x 453mmL x 520mmH

**Depth of Bowl**  
150mm

**Net Weight**  
8.15 kg




### Deluxe Electronic Controlled Faucet Hand Sink with Soap Dispenser (Model DS-1068/EC/SD)

**Overall Dimensions**  
371mmW x 460mmL x 520mmH

**Depth of Bowl**  
150mm

**Net Weight**  
7.95kg







### Standard Knee Activated Faucet Hand Sink (Model SS-1018/KA)

**Overall Dimensions**  
383mmW x 453mmL x 520mmH

**Depth of Bowl**  
150mm

**Net Weight**  
8.15 kg





### Standard Electronic Controlled Faucet Hand Sink (Model SS-1018/EC)

**Overall Dimensions**  
383mmW x 453mmL x 520mmH

**Depth of Bowl**  
150mm

**Net Weight**  
8.15 kg



## STANDARD HAND SINKS

### UNIQUE FEATURES & COMPETITIVE STRENGTHS OF DSS HAND SINK SERIES

- The hand sink bowl is made by Deep Drawing Technology and **the entire hand sink unit is made of 1.2mm thick #304 stainless steel**, satin finishing while most competitors use only 0.8mm thick stainless steel.
- The entire hand sink body and the back panel are all welded artistically, smoothly and seamlessly into one complete hand sink unit for a much stronger and robust body while most competitors simply assemble the hand sink unit and the body together with screws which makes the hand sink unit/body fragile and cannot sustain the impact from any unforeseeable and unavoidable pounding or punching during transportation, leading to a bend and/or damage to the hand sink body.
- Water temperature (hot & cold) can be adjusted.
- All accessories for water connection are included.
- The ROUND corner of the DSS series of hand hand sinks makes kitchen a much safer and cleaner place for the operators.
- Depth of hand sink bowl is 150mm to prevent water from easily splashing out while most competitors' is only 130mm maximum.
- Stylish design makes the DSS series of hand sinks much more appealing and elegant.
- For all Electronic Controlled Faucet Hand Sinks, an All-in-One integrative brass tap is provided with a built-in infra-red activated control device for easy installation and operations.
- DSS hand hand sink unit can be easily and effortlessly mounted on wall with 4 prefixed wall-mounting holes in the back panel of the hand sink unit.





### Standard Knee Activated Faucet Hand Sink with Soap Dispenser (Model SS-1018/KA/SD)

**Overall Dimensions**  
383mmW x 453mmL x 520mmH

**Depth of Bowl**  
150mm

**Net Weight**  
8.15 kg





### Standard Electronic Controlled Faucet Hand Sink with Soap Dispenser (Model SS-1018/EC/SD)

**Overall Dimensions**  
383mmW x 453mmL x 520mmH

**Depth of Bowl**  
150mm

**Net Weight**  
8.15 kg




## ACCESSORIES FOR **DSS** HAND SINK SERIES




### PD-1088/WM

Wall-Mounted Paper Towel Dispenser (stainless steel)



### SD-1088/WM

Wall-Mounted Soap Dispenser (stainless steel, with 1 liter liquid soap capacity)



### SD-1088/SM

Sink-Top Mounted Soap Dispenser (Stainless Steel, with 300ml liquid soap capacity)

*Note: This soap dispenser is for hand sink with the pre-fixed hole or replacement only.*



### NB-1088/SM

Sink-Top Mounted Nail Brush (plastic) with Nail Brush Holder (stainless steel)



### DB-1088

Plastic Dust Bin

**Dimensions:**  
300mmL x 230mmW  
x 325mmH



### DB-1088/WM

Wall-Mounted Dust Bin (plastic) with Dust Bin Hanger (stainless steel)



**Illustration on  
Hand Sink with  
Nail Brush &  
Dust Bin**



**Food Service Equipment Specialists**

Commercial Kitchens | Stainless Steel Fabrication  
Cooking Equipment | Bar Fit-Outs | Coolrooms  
Refrigeration Sales & Services | Custom Made Cabinets  
Plumbing Installations | Exhaust Hood Installations

ABN 95 136 069 241

38 Manton Road Sth Oakleigh 3167 T: +613 9543 7211 F: +613 9544 4437  
kbrcommercial@kbrcommercial.com.au www.kbrcommercial.com.au